## Recent Advances in Science in Western Australia

## **Earth Sciences**

- Akai J, Chiba A, Konishi H, Komatsu M & Matsubara S (1997) New occurrences of non-classical pyriboles formed during ocean-floor and regional metamorphism estimated pt conditions of formation. European Journal of Mineralogy 9: 1237-1255.
- Anand R R, Phang C, Wildman J E & Lintern M J (1998) Genesis of some calcretes in the Southern Yilgarn Craton. Australian Journal of Earth Sciences 45: 179-182.
- Arnold T N & Oldham C E (1997) Trace-element contamination of a shallow wetland in Western Australia. Marine & Freshwater Research 48: 531-539.
- Bloem E J M, Dalstra H J, Ridley J R & Groves D I (1997) Granitoid diapirism during protracted tectonism in an Archaean granitoid-greenstone belt, Yilgarn Block, Western Australia [Review]. Precambrian Research 85: 147-171.
- Callaghan J (1997) The South Pacific and southeast Indian Ocean tropical cyclone season 1995-96. Australian Meteorological Magazine 46: 325-339.
- Champion D C & Sheraton J W (1997) Geochemistry and Nd isotope systematics of Archaean granites of the Eastern Goldfields, Yilgarn Craton, Australia implications for crustal growth processes. Precambrian Research 83: 109-132.
- Clarke C J, Mauger G W, Bell R W & Hobbs R J (1998)
  Computer modelling of the effect of revegetation strategies on salinity in the western wheatbelt of Western Australia 1 The impact of revegetation strategies. Australian Journal of Soil Research 36: 109-129.
- Clements K W, Ahammad H & Qiang Y (1996) New mining and mineral-processing projects in Western Australia effects of employment and the macro-economy. Resources Policy 22: 293-346.
- Cotter K L (1997) Neoproterozoic microfossils from the Officer Basin, Western Australia. Alcheringa 21: 247-270.
- Cudahy T J & Ramanaidou E R (1997) Measurement of the hematite/goethite ratio using field visible and near-infrared reflectance spectrometry in channel iron deposits, Western Australia. Australian Journal of Earth Sciences 44: 411-420.
- Davids C, Wijbrans J R & White S H (1997) Ar-40/Ar-39 laserprobe ages of metamorphic hornblendes from the Coongan Belt, Pilbara, Western Australia. Precambrian Research 83: 221-242.
- Denicola A & Randolph M F (1997) The plugging behaviour of driven and jacked piles in sand. Geotechnique 47: 841-856.
- Gale S J, Drysdale R N, Scherrer N C & Fischer M J (1997)
  The lost city of north-west Queensland a test of the model of giant grikeland development in semi-arid karst.
  Australian Geographer 28: 107-115.
- George A D & Powell C M (1997) Paleokarst in an Upper Devonian reef complex of the Canning Basin, Western Australia. Journal of Sedimentary Research Section A-Sedimentary Petrology & Processes 67: 935-944.
- George A D, Playford P E, Powell C M & Tornatora P M (1997) Lithofacies and sequence development on an Upper

- Devonian mixed carbonate-siliciclastic fore-reef slope, Canning Basin, Western Australia. Sedimentology 44: 843-867.
- Giblin A & Mazzucchelli R (1997) Groundwater geochemistry in exploration an investigation in the Black Flag District, Western Australia. Australian Journal of Earth Sciences 44: 433-443.
- Haig D W, Smith M & Apthorpe M C (1997) Middle Eocene Foraminifera from the type Giralia calcarenite, Gascoyne Platform, southern Carnarvon Basin, Western Australia. Alcheringa 21: 229-245.
- Hamilton N T M & Collins L B (1998) Placer formation in a Holocene barrier system, southwestern Australia. Journal of Coastal Research 14: 240-255.
- Harris D H M, Williams P R, Newtonsmith J & Fitzgerald L G (1997) Tectonic fabric development and mineralisation of the Duketon greenstone belt, Western Australia. Australian Journal of Earth Sciences 44: 503–508.
- Hartley B M, Wall B, Munslowdavies L, Toussaint L F, Hirschberg K J, Terry K W & Shepherd M (1998) The establishment of a radioactive waste disposal facility in Western Australia for low level waste. Applied Radiation & Isotopes 49: 259-264.
- Hill S M, Taylor G & McQueen K G (1998) Genesis of some calcretes in the Southern Yilgarn Craton. Australian Journal of Earth Sciences 45: 177-178.
- Holyland P W & Ojala V J (1997) Computer-aided structural targeting in mineral exploration - two- and three-dimensional stress mapping. Australian Journal of Earth Sciences 44: 421-432.
- Hutchinson D E & Toussaint L F (1998) Near-surface disposal of concentrated norm wastes. Applied Radiation & Isotopes 49: 265-271.
- Jones R (1997) Geostrategy and geotactics recent naval port developments at Garden Island, Western Australia. Marine Policy 21: 363-376.
- Kent A J R & McCuaig T C (1997) Disturbed Ar-40-Ar-39 systematics in hydrothermal biotite and hornblende at the Scotia gold mine, Western Australia evidence for argon loss associated with post-mineralisation fluid movement. Geochimica et Cosmochimica Acta 61: 4655-4669.
- Kitney M & Maxwell P (1996) Supporting major new nickel developments - can Western Australia do it again. Resources Policy 22: 347-358.
- Macphail M K (1997) Late neogene climates in Australia fossil pollen- and spore-based estimates in retrospect and prospect. Australian Journal of Botany 45: 425-464.
- Mann A W (1998) Oxidised gold deposits relationships between oxidation and relative position of the watertable. Australian Journal of Earth Sciences 45: 97-108.
- Masselink G, Hegge B J & Pattiaratchi C B (1997) Beach cusp morphodynamics. Earth Surface Processes & Landforms 22: 1139 ff.
- Morris P A & Witt W K (1997) Geochemistry and tectonic setting of two contrasting Archaean felsic volcanic associations in the eastern goldfields, Western Australia. Precambrian Research 83: 83-107.

- Mroczkowski M & Kuczera G (1997) Sensitivity of simulated stream salinity to soil chloride profile. Mathematics & Computers in Simulation 43: 359-366.
- Mueller A G (1997) The Nevoria gold skarn deposit in Archean iron-formation, Southern Cross greenstone belt, Western Australia .1. Tectonic setting, petrography and classification. Economic Geology & the Bulletin of the Society of Economic Geologists 92: 181-209.
- Myers J S (1997) Preface Archaean geology of the Eastern Goldfields of Western Australia - regional overview. Precambrian Research 83: 1-10.
- Nagase T, Akizuki M, Onoda M & Sato M (1997) Chrysoprase from Warrawanda, Western Australia. Neues Jahrbuch fur Mineralogie-Monatshefte 289-300.
- Naldrett A J (1997) Key factors in the genesis of Norilsk, Sudbury, Jinchuan, Voiseys Bay and other world-class Ni-Cu-pge deposits - implications for exploration. Australian Journal of Earth Sciences 44: 283-315.
- Nelson D R (1997) Evolution of the Archaean granite-greenstone terranes of the Eastern Goldfields, Western Australia Shrimp U-Pb zircon constraints. Precambrian Research 83: 57-81.
- Nemchin A A & Pidgeon R T (1997) Evolution of the Darling Range batholith, Yilgarn Craton, Western Australia - a Shrimp zircon study. Journal of Petrology 38: 625-649.
- Okada H & Wells P (1997) Late Quaternary nannofossil indicators of climate change in two deep-sea cores associated with the Leeuwin Current off Western Australia. Palaeogeography Palaeoclimatology Palaeoecology 131: 413-432.
- Pattiaratchi C, Hegge B, Gould J & Eliot I (1997) Impact of sea-breeze activity on nearshore and foreshore processes in southwestern Australia. Continental Shelf Research 17: 1539-1560.
- Pietrobon M C, Grano S R, Sobieraj S & Ralston J (1997) Recovery mechanisms for pentlandite, and mgo-bearing gangue minerals in nickel ores from Western Australia. Minerals Engineering 10: 775-786.
- Quilty P G, Shafik S, Jenkins C J & Keene J B (1997) An Early Cainozoic (Paleocene) foraminiferal fauna with fabiania from offshore eastern Australia. Alcheringa 21: 299-315.
- Robinson B H, Chiarucci A, Brooks R R, Petit D, Kirkman J H, Gregg P E H & Dedominicis V (1997) The nickel hyperaccumulator plant *Alyssum bertolonii* as a potential agent for phytoremediation and phytomining of nickel. Journal of Geochemical Exploration 59: 75-86.
- Robinson J S & Sivapalan M (1997) Temporal scales and hydrological regimes implications for flood frequency scaling. Water Resources Research 33: 2981-2999.
- Rowins S M, Groves D I, McNaughton N J, Palmer M R & Eldridge C S (1997) A reinterpretation of the role of granitoids in the genesis of neoproterozoic gold mineralization in the Telfer Dome, Western Australia. Economic Geology & the Bulletin of the Society of Economic Geologists 92: 133-160.
- Seitz H M & Keays R R (1997) Platinum group element segregation and mineralization in a noritic ring complex formed from Proterozoic siliceous high magnesium basalt magmas in the Vestfold Hills, Antarctica. Journal of Petrology 38: 703-725.
- Shen J W, Yu C M & Bao H M (1997) A Late-Devonian (Famennian) renalcis-epiphyton reef at Zhaijiang, Guilin, South China. Facies 37: 195-209.
- Simonson B M, Davies D, Wallace M, Reeves S & Hassler S W (1998) Iridium anomaly but no shocked quartz from

- late Archean microkrystite layer oceanic impact ejecta. Geology 26: 195-198.
- Siverson M (1997) Sharks from the mid-cretaceous Gearle siltstone, Southern Carnarvon Basin, Western Australia. Journal of Vertebrate Paleontology 17: 453-465.
- Smithies R H & Bagas L (1997) High pressure amphibolitegranulite facies metamorphism in the paleoproterozoic Rudall Complex, central Western Australia. Precambrian Research 83: 243-265.
- Smithies R H & Witt W K (1997) Distinct basement terranes identified from granite geochemistry in late Archaean granite-greenstones, Yilgarn Craton, Western Australia. Precambrian Research 83: 185-201.
- Summers R N & Pech J D (1997) Nutrient and metal content of water, sediment and soils amended with bauxite residue in the catchment of the Peel Iinlet and Harvey Estuary, Western Australia. Agriculture Ecosystems & Environment 64: 219-232.
- Swager C P (1997) Tectono-stratigraphy of late Archaean greenstone terranes in the southern Eastern Goldfields, Western Australia. Precambrian Research 83: 11-42.
- Swager C P & Nelson D R (1997) Extensional emplacement of a high-grade granite gneiss complex into low-grade greenstones, Eastern Goldfields, Yilgarn Craton, Western Australia. Precambrian Research 83: 203-219.
- Sylvester P J & Ghaderi M (1997) Trace element analysis of scheelite by excimer laser ablation inductively coupled plasma mass spectrometry (ela-icp-ms) using a synthetic silicate glass standard. Chemical Geology 141: 49-65.
- Tompkins L A, Eisenlohr B, Groves D I & Raetz M (1997)
  Temporal changes in mineralization style at the Cadjebut
  Mississippi Valley-type deposit, Lennard Shelf, WA. Economic Geology & the Bulletin of the Society of Economic
  Geologists 92: 843-862.
- Trendall A F, Nelson D R, Delaeter J R & Hassler S W (1998) Precise Zircon U-Pb Ages From the Marra Mamba lron Formation and Wittenoom. Australian Journal of Earth Sciences 45: 137-142.
- Wende R, Nanson G C & Price D M (1997) Aeolian and fluvial evidence for Late Quaternary environmental change in the East Kimberley of Western Australia. Australian Journal of Earth Sciences 44: 519-526.
- Wilson T J, Grunow A M & Hanson R E (1997) Gondwana assembly the view from Southern Africa and East Gondwana. Journal of Geodynamics 23: 263-286.
- Wintle A G & Murray A S (1997) The relationship between quartz thermoluminescence, photo-transferred thermoluminescence, and optically stimulated luminescence. Radiation Measurements 27: 611-624.
- Witt W K & Davy R (1997) Geology and geochemistry of Archaean granites in the Kalgoorlie region of the Wastern Goldfields, Western Australia - a syn-collisional tectonic setting. Precambrian Research 83: 133-183.
- Witt W K, Knight J T & Mikucki E J (1997) A synmetamorphic lateral fluid flow model for gold mineralization in the Archean southern Kalgoorlie and Norseman Terranes, Western Australia. Economic Geology & the Bulletin of the Society of Economic Geologists 92: 407-437.
- Woodhead J D & Hergt J M (1997) Application of the double spike technique to Pb-isotope geochronology. Chemical Geology 138: 311-321.
- Woodhead J D, Hergt J M & Simonson B M (1998) Isotopic dating of an archean bolide impact horizon, Hamersley Basin, Western Australia. Geology 26: 47-50.

Wright W J (1997) Tropical-extratropical cloudbands and Australian rainfall. 1. climatology. International Journal of Climatology 17: 807-829.

## Life Sciences

- Abensperg-Traun M & Steven D (1997) Latitudinal gradients in the species richness of Australian termites (Isoptera). Australian Journal of Ecology 22: 471-476.
- Agboma P C, Jones M G K, Peltonensainio P, Rita H & Pehu E (1997) Exogenous glycinebetaine enhances grain yield of maize, sorghum and wheat grown under two supplementary watering regimes. Journal of Agronomy & Crop Science-Zeitschrift fur Acker und Pflanzenbau 178: 29-37.
- Agboma P C, Sinclair T R, Jokinen K, Peltonensainio P & Pehu E (1997) An evaluation of the effect of exogenous glycinebetaine on the growth and yield of soybean timing of application, watering regimes and cultivars. Field Crops Research 54: 51-64.
- Akilan K, Marshall J K, Morgan A L, Farrell R C C & Bell D T (1997) Restoration of catchment water balance responses of clonal river red gum (*Eucalyptus camaldulensis*) to waterlogging. Restoration Ecology 5: 101-108.
- Amaoka K, Arai M & Gomon M F (1997) A new species of Arnoglossus (Pleuronectiformes, Bothidae) from the southwestern coast of Australia. Ichthyological Research 44: 131-136.
- Anderson P K (1997) Shark Bay dugongs in summer .1. Lek mating. Behaviour 134: 433-462.
- Andrew J & Ward R D (1997) Allozyme variation in the marine fanworm *Sabella spallanzanii* comparison of native European and introduced Australian populations. Marine Ecology-Progress Series 152: 131-143.
- Arnold T N & Oldham C E (1997) Trace-element contamination of a shallow wetland in Western Australia. Marine & Freshwater Research 48: 531-539.
- Austin A D, Gibson G A P & Harvey M S (1998) Synopsis of Australian *Calymmochilus masi* (hymenoptera, eupelmidae), description of a new Western Australian species associated with a pseudoscorpion, and review of pseudoscorpion parasites. Journal of Natural History 32: 329-350.
- Battaglia M & Sands P (1997) Modelling site productivity of *Eucalyptus globulus* in response to climatic and site factors. Australian Journal of Plant Physiology 24: 831-850.
- Bennett S J (1997) Genetic variation between and within two populations of *Trifolium glomeratum* (cluster clover) in Western Australia. Australian Journal of Agricultural Research 48: 969-976.
- Berra T M (1997) Some 20th century fish discoveries. Environmental Biology of Fishes 50: 1-12.
- Berry P F & Playford P E (1997) Biology of modern Fragum erugatum (Mollusca Bivalvia, Cardiidae) in relation to deposition of the Hamelin coquina, Shark Bay, Western Australia. Marine & Freshwater Research 48: 415-420.
- Bolland M D A (1997) Comparative phosphorus requirement of canola and wheat. Journal of Plant Nutrition 20: 813-829.
- Bougher N L & Young A M (1997) Hygrophoraceae of Western Australia. Mycotaxon 63: 25-35.
- Bougher N L (1997) Three new sequestrate basidiomycetes from Western Australia. Mycotaxon 63: 37-48.
- Bowman D M J S (1997) Observations on the demography of the Australian boab (*Adansonia gibbosa*) in the northwest of the Northern Territory, Australia. Australian Journal of Botany 45: 893-904.

- Brailovsky H (1997) First record of the Tribe Hydarini in Australia with the description of a new species of *Hydarella bergroth* (Hemiptera, Coreidae). Australian Journal of Entomology 36: 225-228.
- Bray R A & Cribb T H (1997) Lepocreadiid (Digenea) species from members of the marine teleost family Cheilodactylidae from south-western Australia, including four new genera and five new species. Systematic Parasitology 37: 27-45.
- Brennan J P & Fox P N (1998) Impact of cimmyt varieties on the genetic diversity of wheat in Australia, 1973-1993. Australian Journal of Agricultural Research 49: 175-178.
- Brothers N P, Reid T A & Gales R P (1997) At-sea distribution of shy albatrosses *Diomedea cauta cauta* derived from records of band recoveries and colour-marked birds. Emu 97: 231-239.
- Burke C M & Knott B (1997) Homeostatic interactions between the benthic microbial communities and the waters of a hypersaline lake, Lake Hayward, Western Australia. Marine & Freshwater Research 48: 623-631.
- Cambridge M L & Hocking P J (1997) Annual primary production and nutrient dynamics of the seagrasses *Posidonia sinuosa* and *Posidonia australis* in south-western Australia. Aquatic Botany 59: 277-295.
- Carnegie A J, Keane P J & Podger F D (1997) The impact of three species of *Mycosphaerella* newly recorded on *Eucalyptus* in Western Australia. Australasian Plant Pathology 26: 71-77.
- Clarke C J, Mauger G W, Bell R W & Hobbs R J (1998)
  Computer modelling of the effect of revegetation strategies on salinity in the western wheatbelt of Western Australia 1 the impact of revegetation strategies.
  Australian Journal of Soil Research 36: 109-129.
- Colman J G (1997) A review of the biology and ecology of the whale shark. Journal of Fish Biology 51: 1219-1234.
- Corrigan V K, Hurst P L & Boulton G (1997) Sensory characteristics and consumer acceptability of pink lady and other late-season apple cultivars. New Zealand Journal of Crop & Horticultural Science 25: 375-383.
- Cotter K L (1997) Neoproterozoic microfossils from the Officer Basin, Western Australia. Alcheringa 21: 247-270.
- Cowling W A, Sweetingham M W, Diepeveen D & Cullis B R (1997) Heritability of resistance to brown spot and root rot of narrow-leafed lupins caused by *Pleiochaeta setosa* (Kirchn.) Hughes in field experiments. Plant Breeding 116: 341-345.
- Crisp M D & Chandler G T (1997) Contributions towards a revision of *Daviesia* (Fabaceae, Mirbelieae). 5. *D. cardiophylla* sens lat. Australian Systematic Botany 10: 321-329.
- Davis D, Banks S, Birtles A, Valentine P & Cuthill M (1997) Whale sharks in Ningaloo Marine Park managing tourism in an Australian marine protected area. Tourism Management 18: 259-271.
- Day D A, Collins B G & Rees R G (1997) Reproductive biology of the rare and endangered *Banksia brownii* Baxter ex R. Br. (Proteaceae). Australian Journal of Ecology 22: 307-315.
- Depiazzi L J, Roberts W D, Hawkins C D, Palmer M A, Pitman D R, McQuade N C, Jelinek P D, Devereuax D J & Rippon R J (1998) Severity and persistence of footrot in merino sheep experimentally infected with a protease thermostable strain of *Dichelobacter nodosus* at five sites. Australian Veterinary Journal 76: 32-38.
- **Dortch C E (1997)** New perceptions of the chronology and development of aboriginal fishing in south-Western Australia. World Archaeology 29: 15-35.

- Driscoll D A & Roberts J D (1997) Impact of fuel-reduction burning on the frog *Geocrinia lutea* in southwest Western Australia. Australian Journal of Ecology 22: 334-339.
- Dsouza N K, Webster J L & Tay F C S (1997) *Phytophthora boehmeriae* isolated for the first time in Western Australia. Australasian Plant Pathology 26: 204.
- Duffy B K, Ownley B H & Weller D M (1997) Soil chemical and physical properties associated with suppression of take-all of wheat by *Trichoderma koningii*. Phytopathology 87: 1118-1124.
- Edmonds J S, Shibata Y, Prince R I T, Preen A R & Morita M (1997) Elemental composition of a tusk of a dugong, *Dugong dugon*, from Exmouth, Western Australia. Marine Biology 129: 203-214.
- Eldridge M D B & Pearson D J (1997) Chromosomal rearrangements in rock wallabies, *Petrogale* (Marsupialia, Macropodidae). 9. Further g-banding studies of the *Petrogale lateralis* complex *P. lateralis pearsoni*, the West Kimberley race, and a population heterozygous for a centric fusion. Genome 40: 84-90.
- Eltarabily K A, Hardy G E S J & Sivasithamparam K (1997) Effects of host age on development of cavity spot disease of carrots caused by *Pythium coloratum* in Western Australia. Australian Journal of Botany 45: 727-734.
- Eschmeyer W N (1997) A new species of Dactylopteridae (Pisces) from the Philippines and Australia, with a brief synopsis of the family. Bulletin of Marine Science 60: 727-738.
- Feizabadi M M, Robertson I D, Hope A, Cousins D V & Hampson D J (1997) Differentiation of Australian isolates of *Mycobacterium paratuberculosis* using pulsed field gel electrophoresis. Australian Veterinary Journal 75: 887-889.
- Field L H & Bailey W J (1997) Sound production in primitive Orthoptera from Western Australia sounds used in defence and social communication in *Ametrus* sp. and *Hadrogryllacris* sp. (Gryllacrididae, Orthoptera). Journal of Natural History 31: 1127-1141.
- Fisher K (1997) Irradiation effects in air and in nitrogen on mediterranean fruit fly (Diptera, Tephritidae) pupae in Western Australia. Journal of Economic Entomology 90: 1609-1614
- Fortin D & Arnold G W (1997) The influence of road verges on the use of nearby small shrubland remnants by birds in the central wheatbelt of Western Australia. Wildlife Research 24: 679-689.
- Gaughan D J & Fletcher W J (1997) Effects of the Leeuwin Current on the distribution of carnivorous macrozooplankton in the shelf waters off southern Western Australia. Estuarine Coastal & Shelf Science 45: 89-97.
- Glover E A & Taylor J D (1997) New species and records of *Rastafaria* and *Megaxinus* (Bivalvia, Lucinidae) from the western Indian Ocean and Red Sea, with a reappraisal of *Megaxinus*. Journal of Conchology 36: 1-18.
- Gregory P J (1998) Alternative crops for duplex soils growth and water use of some cereal, legume, and oilseed crops, and pastures. Australian Journal of Agricultural Research 49: 21-32.
- Grocke D R, Bocherens H & Mariotti A (1997) Annual rainfall and nitrogen-isotope correlation in macropod collagen application as a palaeoprecipitation indicator. Earth & Planetary Science Letters 153: 279-285.
- Haig D W, Smith M & Apthorpe M C (1997) Middle Eocene Foraminifera from the Type Giralia calcarenite, Gascoyne Platform, Southern Carnarvon Basin, Western Australia. Alcheringa 21: 229-245.

- Hamilton N T M & Collins L B (1998) Placer formation in a Holocene barrier system, southwestern Australia. Journal of Coastal Research 14: 240-255.
- Henderson T A & Wrigley C W (1997) Improved identification of oat varieties by acidic electrophoresis in ready-to-use gels. Plant Varieties & Seeds 10: 113-120.
- Hine P M & Thorne T (1998) Haplosporidium sp. (Haplosporidia) in hatchery-reared pearl oysters, Pinctada maxima (Jameson, 1901), in north Western Australia. Journal of Invertebrate Pathology 71: 48-52.
- Hosken D J (1997) Reproduction and the female reproductive cycle of *Nyctophilus geoffroyi* and *N. major* (Chiroptera, Vespertilionidae) from south-western Australia. Australian Journal of Zoology 45: 489-504.
- Hosken D J (1997) Thermal biology and metabolism of the greater long-eared bat, Nyctophilus major (Chiroptera, Vespertilionidae). Australian Journal of Zoology 45: 145-156.
- Hyndes G A & Potter I C (1997) Age, growth and reproduction of Sillago schomburgkii in south-western Australian, nearshore waters and comparisons of life history styles of a suite of Sillago species. Environmental Biology of Fishes 49: 435-447.
- Imgrund J, Groth D & Wetherall J (1997) Genetic analysis of the freshwater crayfish Cherax tenuimanus. Electrophoresis 18: 1660-1665.
- Jones R A C & Coutts B A (1996) Alfalfa mosaic and cucumber mosaic virus infection in chickpea and lentil incidence and seed transmission. Annals of Applied Biology 129: 491-506.
- Jovetast S (1997) A proliferous *Riccia* from Australia *Riccia* pullulans sp nov (subgenus *Ricciella*). Cryptogamie Bryologie Lichenologie 18: 183-189.
- Kendrick G A & Brearley A (1997) Influence of *Sargassum* spp. attached to rhodoliths on sampling effort and demographic analyses of *Sargassum* spp. (Sargassaceae, Phaeophyta) attached to a reef. Botanica Marina 40: 517-521
- Kennington W J & James S H (1997) Contrasting patterns of clonality in two closely related mallee species from Western Australia, *Eucalyptus argutifolia* and *E. obtusiflora* (Myrtaceae). Australian Journal of Botany 45: 679-689.
- Kookana R S, Phang C & Aylmore L A G (1997) Transformation and degradation of fenamiphos nematicide and its metabolites in soils. Australian Journal of Soil Research 35: 753-761.
- Koslow J A, Williams A & Paxton J R (1997) How many demersal fish species in the deep sea a test of a method to extrapolate from local to global diversity. Biodiversity & Conservation 6: 1523-1532.
- Loi A, Cocks P S, Howieson J G & Carr S J (1997) Morphological characterization of Mediterranean populations of *Biserrula pelecinus* 1. Plant Breeding 116: 171-176.
- Loss S P & Siddique K H M (1997) Adaptation of faba bean (*Vicia faba* L) to dryland Mediterranean-type environments. 1. Seed yield and yield components. Field Crops Research 52: 17-28.
- Mable B K & Roberts J D (1997) Mitochondrial DNA evolution of tetraploids in the genus *Neobatrachus* (Anura, Myobatrachidae). Copeia 680-689.
- Maguire T L & Sedgley M (1997) Genetic diversity in *Banksia* and *Dryandra* (Proteaceae) with emphasis on *Banksia* cuneata, a rare and endangered species. Heredity 79: 394-401.
- Maly E J & Maly M P (1997) Predation, competition, and co-occurrences of *Boeckella* and *calamoecia* (Copepoda, Calanoida) in Western Australia. Hydrobiologia 354: 41-50.

- Maly E J, Halse S A & Maly M P (1997) Distribution and incidence patterns of *Boeckella*, *Calamoecia*, and *Hemiboeckella* (Copepoda, Calanoida) in Western Australia. Marine & Freshwater Research 48: 615-621.
- Marshall J K, Morgan A L, Akilan K, Farrell R C C & Bell D T (1997) Water uptake by two river red gum (*Eucalyptus camaldulensis*) clones in a discharge site plantation in the Western Australian wheatbelt. Journal of Hydrology 200: 136-148
- McCarthy M A (1998) Identifying declining and threatened species with museum data. Biological Conservation 83: 9-17.
- McKenzie L M & Cooper D W (1997) Hybridization between tammar wallaby (*Macropus eugenii*) populations from Western and South Australia. Journal of Heredity 88: 398-400.
- McKeon T, Dunsmore J & Raidal S R (1997) *Trichomonas* gallinae in budgerigars and columbid birds in Perth, Western Australia. Australian Veterinary Journal 75: 652-655.
- McPharlin I R & Robertson W J (1997) Response of springplanted lettuce (*Lactuca sativa* L.) to freshly-applied and residual phosphorus and to phosphate fertiliser placement on a Karrakatta sand. Australian Journal of Experimental Agriculture 37: 701-708.
- Meinke H & Ryley M (1997) Effects of sorghum ergot on grain sorghum production a preliminary climatic analysis. Australian Journal of Agricultural Research 48: 1241-1247.
- Melvillesmith R & Chubb C F (1997) Comparison of dorsal and ventral tag retention in western rock lobsters, *Panulirus cygnus* (George). Marine & Freshwater Research 48: 577-580.
- Meney K A, Dixon K W & Pate J S (1997) Reproductive potential of obligate seeder and resprouter herbaceous perennial monocots (Restionaceae, Anarthriaceae, Ecdeiocoleaceae) from south-western Western Australia. Australian Journal of Botany 45: 771-782.
- Milberg P & Lamont B B (1997) Seed/cotyledon size and nutrient content play a major role in early performance of species on nutrient-poor soils. New Phytologist 137: 665-672.
- Moritz C, Heideman A, Geffen E & McRae P (1997) Genetic population structure of the greater bilby *Macrotis lagotis*, a marsupial in decline. Molecular Ecology 6: 925-936.
- Mundy B C & Moser H G (1997) Development of early stages of pelagic armorhead *Pseudopentaceros wheeleri* with notes on juvenile *Ps. richardsoni* and larval *Histiopterus typus* (Pisces, Percoidei, Pentacerotidae). Bulletin of Marine Science 61: 241-269.
- Mwanamwenge J, Siddique K H M & Sedgley R H (1997) Canopy development and light absorption of grain legume species in a short season mediterranean-type environment. Journal of Agronomy & Crop Science-Zeitschrift fur Acker und Pflanzenbau 179: 1-7.
- Newell G R (1997) The abundance of ground-dwelling invertebrates in a Victorian forest affected by dieback (*Phytophthora cinnamomi*) disease. Australian Journal of Ecology 22: 206-217.
- Newman L J & Cannon L R G (1997) Nine new species of *Pseudobiceros* (Platyhelminthes, Polycladida) from the Indo-Pacific. Raffles Bulletin of Zoology 45: 341-368.
- Okada H & Wells P (1997) Late Quaternary nannofossil indicators of climate change in two deep-sea cores associated with the Leeuwin Current off Western Australia. Palaeogeography Palaeoclimatology Palaeoecology 131: 413-432.
- Park R F (1997) Occurrence and identity of *Puccinia graminis* on wheat, barley, and grasses in Australia during summer-

- autumn 1992-93. Australian Journal of Agricultural Research 48: 999-1002.
- Parsons K E (1997) Role of dispersal ability in the phenotypic differentiation and plasticity of two marine gastropods. 1. Shape. Oecologia 110: 461-471.
- Parsons K E (1998) The role of dispersal ability in the phenotypic differentiation and plasticity of two marine gastropods. II Growth. Journal of Experimental Marine Biology & Ecology 221: 1-25.
- Pergent G, Pergentmartini C & Cambridge M (1997)
  Morphochronological variations in the genus *Posidonia*.
  Marine & Freshwater Research 48: 421-424.
- Petty S R, Poppi D P & Triglone T (1998) Effect of maize supplementation, seasonal temperature and humidity on the liveweight gain of steers grazing irrigated *Leucaena leucocephala digitaria eriantha* pastures in north-west Australia. Journal of Agricultural Science 130: 95-105.
- Phillips B F & Pearce A F (1997) Spiny lobster recruitment off Western Australia. Bulletin of Marine Science 61: 21-41.
- Phillips J A & Huisman J M (1998) Dictyopteris serrata (Dictyotales, Phaeophyceae) a little known algal species newly recorded from Australia. Botanica Marina 41: 43-49.
- Pinder A M & Brinkhurst R O (1997) The family Capilloventridae (Annelida, Clitellata) in Australia with descriptions of two new species of *Capilloventer*. Zoologica Scripta 26: 255-265.
- Platell M E, Potter I C & Clarke K R (1998) Do the habitats, mouth morphology and diets of the mullids *Upeneichthys stotti* and *U. lineatus* in coastal waters of south-Western Australia differ. Journal of Fish Biology 52: 398-418.
- Poidinger M, Roy S, Hall R A, Turley P J, Scherret J H, Lindsay M D, Broom A K & Mackenzie J S (1997) Genetic stability among temporally and geographically diverse isolates of barmah forest virus. American Journal of Tropical Medicine & Hygiene 57: 230-234.
- Postmaster A, Sivasithamparam K & Turner D W (1997) Enumeration and identity of microorganisms isolated from the surface of banana fruits at three developmental stages. Scientia Horticulturae 69: 189-197.
- Pouliquenyoung O (1997) Evolution of the system of protected areas in Western Australia. Environmental Conservation 24: 168-181.
- Preen A (1998) Marine protected areas and dugong conservation along Australias Indian Ocean coast. Environmental Management 22: 173-181.
- Quilty P G, Shafik S, Jenkins C J & Keene J B (1997) An Early Cainozoic (Paleocene) foraminiferal fauna with fabiania from offshore eastern Australia. Alcheringa 21: 299-315.
- Reader M A, Dracup M & Atkins C A (1997) Transient high temperatures during seed growth in narrow-leafed lupin (*Lupinus angustifolius* L.). 2. Injuriously high pod temperatures are likely in Western Australia. Australian Journal of Agricultural Research 48: 1179-1186.
- Recher H F (1997) Impact of wildfire on the avifauna of Kings Park, Perth, Western Australia. Wildlife Research 24: 745-761.
- Regan K L, Siddique K H M, Tennant D & Abrecht D G (1997) Grain yield and water use efficiency of early maturing wheat in low rainfall mediterranean environments. Australian Journal of Agricultural Research 48: 595-603.
- Richards J D & Short J (1998) Wedge-tailed eagle *Aquila* audax predation on endangered mammals and rabbits at Shark Bay, Western Australia. Emu 98: 23-31.
- Riley I T, Reardon T B & Bertozzi T (1998) Allozyme analysis of Australian isolates of *Dilophospora alopecuri*. Mycological Research 102: 301-307.

- Roberts J D (1997) Geographic variation in calls of males and determination of species boundaries in tetraploid frogs of the Australian genus *Neobatrachus* (Myobatrachidae). Australian Journal of Zoology 45: 95-112.
- Robinson B H, Chiarucci A, Brooks R R, Petit D, Kirkman J H, Gregg P E H & Dedominicis V (1997) The nickel hyperaccumulator plant *Alyssum bertolonii* as a potential agent for phytoremediation and phytomining of nickel. Journal of Geochemical Exploration 59: 75-86.
- Roche S, Koch J M & Dixon K W (1997) Smoke enhanced seed germination for mine rehabilitation in the southwest of Western Australia. Restoration Ecology 5: 191-203.
- Rossetto M, Lucarotti F, Hopper S D & Dixon K W (1997) DNA fingerprinting of *Eucalyptus graniticola* a critically endangered relict species or a rare hybrid. Heredity 79: 310-318.
- Savini G, Robertson I D & Dunsmore J D (1997) Sensitivities and specificities of two elisa tests for detecting infection with sarcocystis in cattle of Western Australia. Preventive Veterinary Medicine 32: 35-40.
- Shearer B L, Crane C E, Fairman R G & Grant M J (1997) Occurrence of *Armillaria luteobubalina* and pathogen-mediated changes in coastal dune vegetation of south-Western Australia. Australian Journal of Botany 45: 905-917.
- Shivas R G & Vanky K (1997) New smuts (Ustilaginales) on grasses from Western Australia. Mycological Research 101: 835-840.
- Shivas R G, Bathgate J & Podger F D (1998) Colletotrichum xantlıorrhoeae sp. nov. on Xantlıorrhoea. Mycological Research 102: 280-282.
- Shivas R G, Mitchell A A & Jubb T F (1997) Corallocytostronia ornicopreoides sp nov, an unusual toxic fungus on Astrebla and Dichanthium in north-Western Australia. Mycological Research 101: 849-852.
- Short J, Turner B, Risbey D A & Carnamah R (1997) Control of feral cats for nature conservation II population reduction by poisoning. Wildlife Research 24: 703-714.
- Siverson M (1997) Sharks from the mid-Cretaceous Gearle siltstone, southern Carnarvon Basin, Western Australia. Journal of Vertebrate Paleontology 17: 453-465.
- Smith W K, Bell D T & Shepherd K A (1998) Associations between leaf structure, orientation, and sunlight exposure in five Western Australian communities. American Journal of Botany 85: 56-63.
- Smolker R, Richards A, Connor R, Mann J & Berggren P (1997) Sponge carrying by dolphins (Delphinidae, *Tursiops* sp.) a foraging specialization involving tool use. Ethology 103: 454-465.
- Stephens D J & Lyons T J (1998) Rainfall-yield relationships across the Australian wheatbelt. Australian Journal of Agricultural Research 49: 211-223.
- Tennakoon K U, Pate J S & Arthur D (1997) Ecophysiological aspects of the woody root hemiparasite *Santalum acuminatum* (R Br) A Dc and its common hosts in south Western Australia. Annals of Botany 80: 245-256.
- Thomas C, Finn M, Twigg L, Deplazes P & Thompson R C A (1997) Microsporidia (*Encephalitozoon cuniculi*) in wild rabbits in Australia. Australian Veterinary Journal 75: 808-810.
- **Thompson R B & Fillery I R P (1997)** Transformation in soil and turnover to wheat of nitrogen from components of grazed pasture in the south of Western Australia. Australian Journal of Agricultural Research 48: 1033-1047.
- Thomson C J, Ewing M A, Turner N C, Revell C K & Lecoultre I F (1998) Influence of rotation and time of germinating rains on the productivity and composition of

- annual pastures in Western Australia. Australian Journal of Agricultural Research 49: 225-232.
- Tong S M (1997) Heterotrophic flagellates from the water column in Shark Bay, Western Australia. Marine Biology 128: 517-536.
- Watson I W, Westoby M & Holm A M (1997) Continuous and episodic components of demographic change in arid zone shrubs models of two *Eremophila* species from Western Australia compared with published data on other species. Journal of Ecology 85: 833-846.
- Watson I W, Westoby M & Holm A M (1997) Demography of two shrub species from an arid grazed ecosystem in Western Australia 1983-93. Journal of Ecology 85: 815-832.
- Weaver D M & Reed A E G (1998) Patterns of nutrient status and fertiliser practice on soils of the south coast of Western Australia. Agriculture Ecosystems & Environment 67: 37-53.
- Williams M R & Faunt K (1997) Factors affecting the abundance of hollows in logs in jarrah forest of south-Western Australia. Forest Ecology & Management 95: 153-160.
- Williams S T & Benzie J A H (1997) Indo-West Pacific patterns of genetic differentiation in the high-dispersal starfish *Linckia laevigata*. Molecular Ecology 6: 559-573.
- Williams S T & Benzie J A H (1998) Evidence of a biogeographic break between populations of a high dispersal starfish congruent regions within the Indo-West Pacific defined by color morphs, mtDNA, and allozyme data. Evolution 52: 87-99.
- Won M Z (1997) Review of family Entactiniidae (Radiolaria), and taxonomy and morphology of Entactiniidae in the Late Devonian (Frasnian) Gogo Formation, Australia. Micropaleontology 43: 333-369.
- Won M Z (1997) The proposed new radiolarian subfamily Retentactiniinae (Entactiniidae) from the Late Devonian (Frasnian) Gogo Formation, Australia. Micropaleontology 43: 371-418.
- Wooller S J & Wooller R D (1997) Overwintering by clamorous reed-warblers *Acrocephalus stentoreus* in Perth, Western Australia. Emu 97: 332-334.
- Wright I J & Ladiges P Y (1997) Geographic variation in *Eucalyptus diversifolia* (Myrtaceae) and the recognition of new subspecies *E. diversifolia* subsp. *liesperia* and *E. diversifolia* subsp. *megacarpa*. Australian Systematic Botany 10: 651-680.
- Young G C, Potter I C, Hyndes G A & Delestang S (1997)
  The ichthyofauna of an intermittently open estuary implications of bar breaching and low salinities on faunal composition. Estuarine Coastal & Shelf Science 45: 53-68.

## **Physical Sciences**

- Arnold T N & Oldham C E (1997) Trace-element contamination of a shallow wetland in Western Australia. Marine & Freshwater Research 48: 531-539.
- Duffy B K, Ownley B H & Weller D M (1997) Soil chemical and physical properties associated with suppression of take-all of wheat by *Trichoderma koningii*. Phytopathology 87: 1118-1124.
- Edmonds J S, Shibata Y, Prince R 1 T, Preen A R & Morita M (1997) Elemental composition of a tusk of a dugong, Dugong dugon, from Exmouth, Western Australia. Marine Biology 129: 203-214.
- Feizabadi M M, Robertson I D, Hope A, Cousins D V & Hampson D J (1997) Differentiation of Australian isolates of mycobacterium *Paratuberculosis* using pulsed field gel electrophoresis. Australian Veterinary Journal 75: 887-889.

Mernagh T P & Hoatson D M (1997) Raman spectroscopic study of pyroxene structures from the Munni Munni layered intrusion, Western Australia. Journal of Raman Spectroscopy 28: 647-658.

Sylvester P J & Ghaderi M (1997) Trace element analysis of scheelite by excimer laser ablation inductively coupled plasma mass spectrometry (ela-icp-ms) using a synthetic silicate glass standard. Chemical Geology 141: 49-65.

Note from the Hon Editor: This column helps to link the various disciplines and inform others of the broad spectrum of achievements of WA scientists (or others writing about WA). References are abstracted from current Contents by searching for Western Australia in the title and abstract.

Other contributions to "Recent Advances in Science in Western Australia" are welcome, and may include papers that have caught your attention or that you believe may interest other scientists in Western Australia and abroad. They are usually papers in refereed journals, or books, chapters and reviews. Abstracts from conference proceedings will not be accepted.

Please submit either a reprint or photocopy of the paper to the Hon Editor or a member of the Publications Committee:

Dr P C Withers (Hon Editor), Department of Zoology, University of Western Australia, Nedlands WA 6907

Dr S D Hopper (Life Sciences), Kings Park and Botanic Garden, West Perth WA 6004

Dr A E Cockbain (Earth Sciences), PO Box 8114, Angelo Street, South Perth WA 6151

Assoc Prof G Hefter (Physical Sciences), Mathematical and Physical Sciences, Murdoch University, Murdoch WA 6150

"Letters to the Editor" concerning scientific issues of relevance to this journal are also published, at the discretion of the Hon Editor. Please submit a word processing disk with letters, and suggest potential reviewers or respondents to your letter.

P C Withers, Honorary Editor, Journal of the Royal Society of Western Australia.

% Western Australian Museum, Francis Street, Perth WA 6000